


STANDARD APRON FEEDERS

http://www.mds-int.net

Used for feeding crushers and screeners. Our robust and versatile apron feeders have many applications



FEATURES / BENEFITS

- Our range of standard apron feeders are ideal for quarry/aggregate/recycling applications.
- They can be used flat or on an incline of upto 15°
- Hoppers can be provided upon request
- Electric and hydraulic drive available

MODEL NUMBER	SIZE (W X L) mm (in)	MAX LUMP SIZE mm (in)	CAPACITY (TPH)		
AF10-4	1000x4000 (39"x157")	500 (20")	400		
AF10-6	1000x6000 (39"x236")	500 (20")	400		
AF12-4	1200x4000 (47"x157")	600 (24")	500		
AF12-6	1200x6000 (47"x236")	600 (24")	500		

Drummond, Magheracloone A81 TE82, Carrickmacross Co. Monaghan, IRELAND TEL: +353 42 966 7899 EMAIL: info@mds-int.net WEB: www.mds-int.net






HEAVY DUTY APRON FEEDERS

http://www.mds-int.net

Used in the mining industry, this mega machine can withstand the toughest tasks. It can start up under full load and can be loaded by large dump trucks.



FEATURES / BENEFITS

- Our range of heavy duty apron feeders are ideal for mining/ore and coal applications.
- Extremely robust and heavy construction
- They can be used flat or on an incline
- Hardox or manganese pans available
- · Can start under full load

MODEL NUMBER	SIZE (W X L) mm (in)	MAX LUMP SIZE mm (in)	CAPACITY (TPH)		
HDAF16-6	1600x6000 (63"x236")	800 (32")	1500		
HDAF16-8	1600x8000 (63"x315")	800 (32")	1500		
HDAF20-6	2000x6000 (79"x236")	1000 (40")	2000		
HDAF20-8	2000x8000 (79"x315")	1000 (40")	2000		

Drummond, Magheracloone A81 TE82, Carrickmacross Co. Monaghan, IRELAND TEL: +353 42 966 7899 EMAIL: info@mds-int.net WEB: www.mds-int.net



MDS TROMMEL RANGE								
MODEL	Tons per Hour	Drum Diameter	Drum Length	Number of Outputs	Screen Openings	Hopper Capacity	Feed Mechanism	Engine and Controls
MDS M412 TROMMEL		Mobile track	machine for	use with pri	mary blast, d	irty material	or rip rap	
	250 to 300 tons	1.25 m (4 ft 1")	4 m (13 ft 1")	2 off	25 mm to 200 mm (1" to 8")	12 Tons	Hydraulic Push Feeder	Cat 2.2 / Electronic Control System
MDS M515 TROMMEL		Mobile track	machine for	use with pri	mary blast, d	irty material	or rip rap	
	350 to 500 tons	1.5 m (4 ft 11")	5 m (16 ft 5")	3 off	25 mm to 460 mm (1" to 18")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M615 STATIC TROM		Semi mobile excavator or		nich can be i	noved from s	site to site a	nd can be lo	aded by an
MDS M820 TROMMEL	350 to 500 tons	1.5 m (4 ft 11")	6 m (19 ft 8")	4 off	25 mm to 500 mm (1" to 20")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MIDS M820 TROMMEL	A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material							
	750 tons	2 m (6 ft 7")	8 m (26 ft 3")	3 or 4 off	25 mm to 600 mm (1" to 24")	70 tons	Hydraulic Push Feeder	CAT 7.1 / Electronic Control
					(1 00 = 1)		reeder	System
MDS M825 TROMMEL					nmel for ma	ximum outp	ut. It can be	System
		A super size concrete wa 2.5 m (8 ft 2")			nmel for ma	ximum outp 100 tons		System
MDS M825 TROMMEL MDS M520R TROMMEL	1000 tons	concrete wa 2.5 m	lls or a meta 8 m (26 ft 3")	I chutes stru 3 off	nmel for ma cture 70 mm to 600 mm (3" to 24")	100 tons	ut. It can be Hydraulic Push	System Set up on Cat 6.6 / Electronic Control
MDS M520R TROMMEL	1000 tons	2.5 m (8 ft 2")	lls or a meta 8 m (26 ft 3")	I chutes stru 3 off	nmel for ma cture 70 mm to 600 mm (3" to 24")	100 tons	ut. It can be Hydraulic Push	System Set up on Cat 6.6 / Electronic Control
	1000 tons	2.5 m (8 ft 2") A static trom 2 m (6 ft 7")	8 m (26 ft 3") mel ideal for 5 m (16 ft 5")	3 off r compost or	70 mm to 600 mm (3" to 24") light recycling 5 mm to 50 mm (0.2" to 2")	100 tons	ut. It can be Hydraulic Push Feeder	System Set up on Cat 6.6 / Electronic Control System 2 off 3 kW Motors (4 HP_
MDS M520R TROMMEL MDS M820R TROMMEL	1000 tons 15 tons	2.5 m (8 ft 2") A static trom 2 m (6 ft 7") A tough state recycling 2 m (6 ft 7")	8 m (26 ft 3") 5 m (16 ft 5") ic machine l	3 off compost or 2 off 2 or 3 off	70 mm to 600 mm (3" to 24") light recycling 5 mm to 50 mm (0.2" to 2")	100 tons	ut. It can be Hydraulic Push Feeder	System Set up on Cat 6.6 / Electronic Control System 2 off 3 kW Motors (4 HP_
MDS M520R TROMMEL MDS M820R TROMMEL	1000 tons 15 tons	2.5 m (8 ft 2") A static trom 2 m (6 ft 7") A tough state recycling	8 m (26 ft 3") 5 m (16 ft 5") ic machine l	3 off compost or 2 off 2 or 3 off	70 mm to 600 mm (3" to 24") light recyclin 5 mm to 50 mm (0.2" to 2") cling concre	100 tons 1g X	ut. It can be Hydraulic Push Feeder X	System Set up on Cat 6.6 / Electronic Control System 2 off 3 kW Motors (4 HP_ heavy duty 2 off 15 kW Motors

QUARRY FEEDER



MINING FEEDER

